

OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél. : +33 (0)5.46.47.54.11 Fax : +33 (0)5.46.47.40.27 contact@ocqueteau.fr

vendredi 30 août 2019

Page 1 sur 16

| TIMONIER 540 O | UTBOARD |
|----------------|---------|
|----------------|---------|

| Navigation & Safety | | |
|---|---|--|
| D ring | 1 | |
| Stainless steel cockpit rails | 1 | |
| Stainless steel bow pulpit | 1 | |
| Forward sampson post | 1 | |
| Forward fairlead | 2 | |
| Compass | 1 | |
| Infused Fiber Glass hull, white gelcoat | 1 | |
| Anchor shoot | 1 | |
| Additional windscreen wiper | | |
| Secured point for anchor line | 1 | |
| Wheelhouse rear roll-up fabric door | 1 | |
| Navigation light T540 | | |
| Windscreen washers | 1 | |
| Rubbing strip | 1 | |
| Extra grab handle <60 cm | | |
| Roof grab handle | 2 | |
| Manual bilg pump | 1 | |
| Electric bilg pump | 1 | |
| Self draining anchor locker | 1 | |
| Fuel tank with gauge T 540 | 1 | |
| Anti skiding surface | 1 | |
| Stern mooring cleats | 1 | |
| Comfort equipments | | |
| Rear cockpit bench | 1 | |
| Ski rings | | |
| Fresh water shower | | |
| Swin ladder | 1 | |
| Teak covered side steps | 2 | |
| Rear swiming platform | 2 | |
| Light weight square cockpit table with pole and base | | |
| GRP Cockpit table with drinks holders, pole and base (oval) | | |
| Cockpit floor loker gas strut | | |
| Pilote station | | |
| Side mount control | 1 | |
| Wooden steering wheel upgrade | | |
| | | |



| Saloon | | |
|---|---|--|
| Wheelhouse roof hatch | | |
| Cabin | | |
| Locker | 3 | |
| Inside cabin berths with cushions (V shape) | 1 | |
| Wheelhouse door with lock | 1 | |
| Cabin berth cushions | 1 | |




OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél. : +33 (0)5.46.47.54.11 Fax:+33 (0)5.46.47.40.27 contact@ocqueteau.fr

vendredi 30 août 2019

Page 2 sur 16

As a company committed to continious product improvment, specifications are subject to change



OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél. : +33 (0)5.46.47.54.11 Fax : +33 (0)5.46.47.40.27 contact@ocqueteau.fr

vendredi 30 août 2019

Page 3 sur 16

| ГІ | MO | NIER | 585 | OUTB | OARD |
|----|----|------|-----|-------------|------|
| | | | | | |

| Navigation & Salety | | |
|---|---|--------------------------|
| D ring | 1 | |
| 2 sliding wheelhouse doors | 1 | |
| Stainless steel bow pulpit | 1 | |
| Compass | | |
| Infused Fiber Glass hull, white gelcoat | 1 | |
| Anchor shoot | 1 | |
| Mechanical steering | 1 | |
| Hydraulic steering 175 HP | | |
| Pilot windscreen wiper | 1 | |
| Additional windscreen wiper | | |
| Secured point for anchor line | 1 | |
| Sliding opening windows | 1 | |
| Navigation light | 1 | |
| Dual batteries with change over switch and charge separator (battery itself not included) | | |
| Windscreen washers | | |
| Rubbing strip | 1 | |
| Wheelhouse grab handle | 2 | |
| Extra grab handle <60 cm | | |
| Roof grab handle | 2 | |
| Glass windscreen | 1 | |
| Manual bilg pump | 1 | |
| Electric bilg pump | 1 | |
| Self draining anchor locker | 1 | |
| Anti skiding surface | 1 | |
| Stern mooring cleats | 1 | |
| Forward mooring cleats | 1 | |
| Comfort equipments | | |
| Three -leaf wheelhouse sliding door | | |
| Cockpit side folding wooden bench seat | | |
| Rear bench seat with locker | 1 | Rangement dans le vivier |
| Cockpit side folding bench seat | | |
| Ski rings | | |
| Cockpit locker | 1 | |
| Fresh water shower | | |
| Swin ladder | 1 | |
| Cockpit table base (without table) | | |

As a company committed to continious product improvment, specifications are subject to change





SPECIFICATIONS

| Inside wheehouse step | | |
|---|---|--|
| Teak covered side steps | 2 | |
| Rear sunbed pack with adaptation, for 585/600) | | |
| Wood effect taffrails | 2 | |
| Dual bathing platforms (either side of outboard well) | | |
| Cockpit side folding bench cushion | | |
| Light weight square cockpit table with pole and base | | |
| GRP Cockpit table with drinks holders, pole and base (oval) | | |
| Engine hatch gas strut | | |
| Cockpit floor loker gas strut | | |
| Pilote station | | |
| Side mount control | 1 | |
| 7 inches space on helm for electronics | 1 | |
| 12 V socket | 1 | |
| Adjustable co-pilot seat | | |
| Adjustable pilot seat | 1 | |
| Wooden steering wheel upgrade | | |
| Storage for oddments | 1 | |
| Saloon | | |
| Wheelhouse roof hatch | | |
| Saloon overhead lighting | | |
| Saloon lockers | 1 | |
| Saloon table | 1 | |
| Heads | | |
| Chemical toilet | | |
| Cabin | | |
| Locker | 1 | |
| Inside cabin berths with cushions (V shape) | 1 | |
| Wheelhouse berth cushions | | |
| Other equipment | | |
| Stainless steel fishing rod holder | 2 | |
| - | | |

OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél.: +33 (0)5.46.47.54.11 Fax: +33 (0)5.46.47.40.27 contact@ocqueteau.fr

vendredi 30 août 2019


Page 4 sur 16

As a company committed to continious product improvment, specifications are subject to change

On n'a pas inventé la mer, juste la vie qui va avec...®

Std Extra Remarks

Nb



SPECIFICATIONS

OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél.: +33 (0)5.46.47.54.11 Fax: +33 (0)5.46.47.40.27 contact@ocqueteau.fr

vendredi 30 août 2019

Page 5 sur 16

| TIMONIER 625 INE | BOARD |
|------------------|--------------|
|------------------|--------------|

| Navigation & Safety | | |
|---|---|--|
| D ring | 1 | |
| 2 sliding wheelhouse doors | 1 | |
| Stainless steel bow pulpit | 1 | |
| Wooden tiller control | 1 | |
| Battery with switch | 1 | |
| Forward fairlead | 2 | |
| Compass | 1 | |
| Infused Fiber Glass hull, white gelcoat | 1 | |
| Stainless steel tilting anchor shoot | 1 | |
| Mechanical steering | 1 | |
| Hydraulic steering 175 HP | 1 | |
| Pilot windscreen wiper | 1 | |
| Additional windscreen wiper | 1 | |
| Secured point for anchor line | 1 | |
| Sliding opening windows | 1 | |
| Navigation light | 1 | |
| Electric anchor winch 500 W | 1 | |
| Dual batteries with change over switch and charge separator (battery itself included) | | |
| Windscreen washers | 1 | |
| Rubbing strip | 1 | |
| Wheelhouse grab handle | 2 | |
| Extra grab handle <60 cm | | |
| Roof grab handle | 2 | |
| Turbo-diesel Inboard engine with shaft driven propeller | 1 | |
| Glass windscreen | 1 | |
| Deepened side walk way | 1 | |
| Manual bilg pump | 1 | |
| Electric bilg pump | 1 | |
| Steel keel band | 1 | |
| Self draining anchor locker | 1 | |
| Reinforced stainless steel rudder | 1 | |
| Anti skiding surface | 1 | |
| Stern mooring cleats | 2 | |
| Forward mooring cleats | 2 | |
| Comfort equipments | | |
| Cockpit side folding wooden bench seat | | |
| | | |

As a company committed to continious product improvment, specifications are subject to change

On n'a pas inventé la mer, juste la vie qui va avec...®





OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél. : +33 (0)5.46.47.54.11 Fax : +33 (0)5.46.47.40.27 contact@ocqueteau.fr

vendredi 30 août 2019

Page 6 sur 16

| | Nb | Std Extra Remarks |
|---|----|--|
| Rear cockpit bench | 1 | |
| Cockpit side folding bench seat | | |
| Cabin heater running from engine | | |
| Cockpit locker | 2 | |
| Pressurised cold water system | | |
| Fresh water shower | 1 | |
| Swin ladder | 1 | |
| Cockpit table base (without table) | 1 | |
| Deck wash pump | 1 | |
| Teak covered side steps | 1 | |
| Bathing plateform with ladder T 625 | | |
| Wood effect taffrails | 3 | |
| Cockpit helm position (hydaulic steering required) | 1 | OPTION DIRECTION HYDRAULIQUE NECESAIRE |
| Shore power with 12V charger | | |
| Cockpit side folding bench cushion | | |
| Cockpit wooden table, with pole and base | 1 | |
| Light weight square cockpit table with pole and base | | |
| GRP Cockpit table with drinks holders, pole and base (oval) | 1 | |
| Engine hatch gas strut | 2 | |
| Cockpit floor loker gas strut | 1 | |
| Pilote station | | |
| Pilot and co-pilote bench with cushion | 1 | |
| 10 inches space on helm for electronics | 1 | |
| Side mount control | 1 | |
| 12 V socket | 1 | |
| Wooden steering wheel upgrade | 1 | |
| Storage for oddments | 1 | |
| Saloon | | |
| Saloon convert to double berth | 1 | |
| Saloon cushions | 1 | |
| Wheelhouse roof hatch | 1 | |
| Saloon overhead lighting | 1 | |
| Saloon lockers | | |
| Curtains T 625 | | |
| Galley | | |
| Galley with sink stove, fresh water manual pump and jerry can, portable gas stove 615 | | |
| Hoads | | |

Heads





| Chemical toilet in separate cabin compartment T 625 Chemical toilet | Nb 1 | Std Extra Remarks |
|--|---------|-------------------|
| Marine toilet with 25L holding tank 705/745 | 1 | |
| Marine toilet without holding tank (no longer allowed in Europe) | 1 | |
| Cabin | | |
| Locker | 1 | |
| Forward deck hatch | | |
| Table with base and pole, to convert into double berth T 625. | | |
| Other equipment | | |
| Cockpit rear engine control Nanni | 1 | |
| Pack Trolling valve Yanmar | 1 | |
| Stainless steel fishing rod holder | 4 | |

OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél. : +33 (0)5.46.47.54.11 Fax : +33 (0)5.46.47.40.27 contact@ocqueteau.fr

vendredi 30 août 2019

Page 7 sur 16

As a company committed to continious product improvment, specifications are subject to change

Wet bait tank Timonier 625

On n'a pas inventé la mer, juste la vie qui va avec...®



SPECIFICATIONS

OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél. : +33 (0)5.46.47.54.11 Fax: +33 (0)5.46.47.40.27 contact@ocqueteau.fr

> vendredi 30 août 2019 Page 8 sur 16

| TIMONIER 705 INBOARD |
|----------------------|
|----------------------|

Navigation & Safety

| Navigation & Surcty | | |
|---|---|--|
| 2 sliding wheelhouse doors | 1 | |
| Stainless steel bow pulpit | 1 | |
| Wooden tiller control | 1 | |
| Battery with switch | 1 | |
| Forward fairlead | 2 | |
| Infused Fiber Glass hull, white gelcoat | 1 | |
| Stainless steel tilting anchor shoot | 1 | |
| Hydraulic steering 225HP | 1 | |
| Pilot windscreen wiper | 1 | |
| Additional windscreen wiper | | |
| Secured point for anchor line | 1 | |
| Sliding opening windows | 1 | |
| Navigation light | 1 | |
| Electric anchor winch 700 W | | |
| Dual batteries with change over switch and charge separator (battery itself included) | | |
| Windscreen washers | | |
| Rubbing strip | 1 | |
| Wheelhouse grab handle | 2 | |
| Extra grab handle <60 cm | | |
| Roof grab handle | 2 | |
| Turbo-diesel Inboard engine with shaft driven propeller | 1 | |
| Glass windscreen | 1 | |
| Bow thruster | | |
| Steel keel band | 1 | |
| Self draining anchor locker | 1 | |
| Reinforced stainless steel rudder | 1 | |
| Anti skiding surface | 1 | |
| Stern mooring cleats | 2 | |
| Forward mooring cleats | 2 | |
| Comfort equipments | | |
| Cockpit side folding wooden bench seat | | |
| Rear cockpit bench | 1 | |
| Cockpit side folding bench 700/705 - 1000 mm - hatch gas strut | | |
| Cabin heater running from engine | | |
| Cockpit locker | 2 | |
| Swin ladder | 1 | |
| | | |

As a company committed to continious product improvment, specifications are subject to change





OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél. : +33 (0)5.46.47.54.11 Fax : +33 (0)5.46.47.40.27 contact@ocqueteau.fr

vendredi 30 août 2019

Page 9 sur 16

| Cockpit table base (without table) | Nb | Std Extra | Remarks |
|---|----|-----------|---------|
| Deck wash pump | | | |
| Teak covered side steps | 2 | | |
| Rear plateform with swim ladder 700/705 | - | | |
| Wood effect taffrails | 2 | | |
| Cockpit helm position (hydaulic steering required) | | | |
| Shore power with 12V charger | | | |
| Cockpit saloon: 2 cockpit side folding bench seats and double square table with bases and poles T 705 | | | |
| Cockpit side folding bench cushion | | | |
| Light weight square cockpit table with pole and base | | | |
| Engine hatch gas strut | 2 | | |
| Cockpit floor loker gas strut | | | |
| Pilote station | | | |
| Locker under pilot and co-pilot seats | 1 | | |
| 10 inches space on helm for electronics | 1 | | |
| Side mount control | 1 | | |
| Adjustable co-pilot seat | 1 | | |
| Adjustable pilot seat | 1 | | |
| Wooden steering wheel upgrade | 1 | | |
| Saloon | | | |
| Saloon convert to double berth | 1 | | |
| Hull porthole | 1 | | |
| Saloon cushions | 1 | | |
| Wheelhouse roof hatch | | | |
| Saloon overhead lighting | 1 | | |
| Saloon overhead lighting | 1 | | |
| Saloon lockers | 3 | | |
| Curtains T 705 | | | |
| Galley | | | |
| Pressurized water | 1 | | |
| Sink | 1 | | |
| Portable gas stove | 1 | | |
| Heads | | | |
| Heads porthole | 1 | | |
| Mirror | 1 | | |
| Overhead lighting | 1 | | |
| Chemical toilet | 1 | | |
| | | | |

As a company committed to continious product improvment, specifications are subject to change





| Marine toilet with 25L holding tank 705/745 Marine toilet without holding tank (no longer allowed in Europe) | Nb | Std Extra Remarks |
|---|----|-------------------|
| Cabin | | |
| Cabin shell | 2 | |
| Forward deck hatch | 1 | |
| Other equipment | | |
| Cockpit rear engine control Nanni | | |
| Pack Trolling valve Nanni | | |
| Pack Trolling valve Yanmar | | |
| Bait chopping board | 1 | |
| Stainless steel fishing rod holder | 2 | |
| Wet bait tank | 1 | |

OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél. : +33 (0)5.46.47.54.11 Fax : +33 (0)5.46.47.40.27 contact@ocqueteau.fr

vendredi 30 août 2019

Page 10 sur 16

As a company committed to continious product improvment, specifications are subject to change



OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél. : +33 (0)5.46.47.54.11 Fax : +33 (0)5.46.47.40.27 contact@ocqueteau.fr

> vendredi 30 août 2019 Page 11 sur 16

| TIMONIER 7 | 725 OUTBOARD |
|------------|--------------|
|------------|--------------|

Navigation & Safety

| Navigati | on & Safety | | |
|-----------------|--|---|--|
| 2 sliding whe | velhouse doors | 1 | |
| Stainless stee | el cockpit rails | 1 | |
| Stainless stee | el bow pulpit | 1 | |
| Compass | | | |
| Infused Fiber | Glass hull, white gelcoat | 1 | |
| Stainless stee | el tilting anchor shoot | 1 | |
| Hydraulic ste | ering 225HP | 1 | |
| Pilot windscr | een wiper | 1 | |
| Additional w | indscreen wiper | | |
| Secured poin | t for anchor line | 1 | |
| Sliding openi | ng windows | 1 | |
| Navigation li | ght | 1 | |
| Electric anch | or winch 700 W | | |
| Dual batterie | s with change over switch and charge separator (battery itself not included) | | |
| Windscreen | washers | | |
| Rubbing strip |) | 1 | |
| Wheelhouse | grab handle | 2 | |
| Extra grab ha | andle <60 cm | | |
| Roof grab ha | ndle | 2 | |
| Glass windsc | reen | 1 | |
| Manual bilg | pump | 1 | |
| Electric bilg p | pump | 1 | |
| Self draining | anchor locker | 1 | |
| Anti skiding s | surface | 1 | |
| Stern moorin | ig cleats | 1 | |
| Forward mod | oring cleats | 1 | |
| Comfort | equipments | | |
| Forward sun | bed cushions T 725 | | |
| Cockpit side | folding wooden bench seat | | |
| Rear bench s | eat with locker | 1 | |
| Cockpit side | folding bench seat 725/800 1000mm | | |
| Cockpit locke | r | 1 | |
| Fresh water | shower | | |
| Swin ladder | | 1 | |
| Deck wash p | ump | | |
| Teak covered | l side steps | 2 | |
| | | | |





OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél. : +33 (0)5.46.47.54.11 Fax : +33 (0)5.46.47.40.27 contact@ocqueteau.fr

> vendredi 30 août 2019 Page 12 sur 16

| | Nb | Std | Extra | Remarks |
|--|----|----------|-------|---------|
| Rear sunbed pack for O600TT, O800, O800TT, T725 | | L | | |
| Wood effect taffrails | 2 | | | |
| Dual bathing platforms (either side of outboard well) | | L | | |
| Cockpit helm position (hydraulic steering required) | | L | | |
| Shore power with 12V charger | | L | | |
| Cockpit saloon: cockpit side folding bench with cushion, rear cushions, table with base and pole T 725 | | | | |
| Rear seat cushions | | L | | |
| Cockpit side folding bench cushion | | | | |
| Cockpit saloon cushions (compatible with sunbath structure) | | L | | |
| Cockpit wooden table, with pole and base | | L | | |
| Light weight square cockpit table with pole and base | | | | |
| GRP Cockpit table with drinks holders, pole and base (oval) | | | | |
| Sliding sun roof | | | | |
| Panoramic glass roof | | | | |
| Engine hatch gas strut | | | | |
| Cockpit floor loker gas strut | | | | |
| Pilote station | | | | |
| Saloon seat that convert for forward or rear facing position | 1 | | | |
| Side mount control | 1 | | | |
| 8 inches diam space on helm for electronics | 1 | | | |
| 12 V socket | 1 | | | |
| Adjustable pilot seat | 1 | | | |
| Wooden steering wheel upgrade | 1 | | | |
| Storage for oddments | 1 | | | |
| Saloon | | | | |
| Saloon convert to double berth | 1 | | | |
| Wheelhouse roof hatch | - | Γ | | |
| Saloon overhead lighting | 1 | | | |
| Saloon lockers | 1 | _ | | |
| Curtain to separate forward and rear cabin sleeping arrangement | 1 | _ | | |
| Curtains T725 | - | Γ | | |
| Saloon cuhions convert to double berth | 1 | | | |
| Galley | - | <u> </u> | | |
| - | 4 | Ŀ | | |
| Pressurized water | 1 | _ | | |
| Sink | 1 | _ | | |
| Ice box | 1 | N | | |
| Portable gas stove | 1 | | | |
| 42 liter fridge upgrade | | L | | |

As a company committed to continious product improvment, specifications are subject to change






| Heads | | |
|--|---|--|
| Hand basin | 1 | |
| Mirror | 1 | |
| Overhead lighting | 1 | |
| Chemical toilet | 1 | |
| Marine toilet with separated 38L holding tank 700/725/800/745 | | |
| Marine toilet without holding tank (no longer allowed in Europe) | | |
| Cabin | | |
| Locker | 1 | |
| Cabin shell | 1 | |
| Double bed | 1 | |
| Forward deck hatch | 1 | |
| Cabin overhead lighting | 1 | |
| Cabin berth cushions | 1 | |
| Other equipment | | |
| Stainless steel fishing rod holder | 2 | |

OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél. : +33 (0)5.46.47.54.11 Fax : +33 (0)5.46.47.40.27 contact@ocqueteau.fr

vendredi 30 août 2019

Page 13 sur 16



OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél. : +33 (0)5.46.47.54.11 Fax : +33 (0)5.46.47.40.27 contact@ocqueteau.fr

> vendredi 30 août 2019 Page 14 sur 16

| Navigation & Safety | | |
|---|---|--|
| 2 sliding wheelhouse doors | 1 | |
| Stainless steel bow pulpit | 1 | |
| Wooden tiller control | 1 | |
| Battery with switch | 1 | |
| Compass | 1 | |
| Infused Fiber Glass hull, white gelcoat | 1 | |
| Stainless steel tilting anchor shoot | 1 | |
| Hydraulic steering 225HP | 1 | |
| Pilot windscreen wiper | 1 | |
| Additional windscreen wiper | | |
| Secured point for anchor line | 1 | |
| Sliding opening windows | 1 | |
| Navigation light | 2 | |
| Electric anchor winch 700 W | 1 | |
| Dual batteries with change over switch and charge separator (battery itself included) | | |
| Windscreen washers | 1 | |
| Rubbing strip | 1 | |
| Wheelhouse grab handle | 2 | |
| Extra grab handle <60 cm | | |
| Roof grab handle | 2 | |
| Turbo-diesel Inboard engine with shaft driven propeller | 1 | |
| Glass windscreen | 1 | |
| Manual bilg pump | 1 | |
| Electric bilg pump | 1 | |
| Bow thruster | 1 | |
| Steel keel band | 1 | |
| Self draining anchor locker | 1 | |
| Reinforced stainless steel rudder | 1 | |
| Anti skiding surface | 1 | |
| Stern mooring cleats | 2 | |
| Forward mooring cleats | 2 | |
| Comfort equipments | | |
| Forward sunbed cushions T 745 | | |
| Cockpit side folding wooden bench seat | | |
| Rear cockpit bench | 1 | |
| Cockpit side folding bench T 745 | | |

As a company committed to continious product improvment, specifications are subject to change





OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél. : +33 (0)5.46.47.54.11 Fax : +33 (0)5.46.47.40.27 contact@ocqueteau.fr

> vendredi 30 août 2019 Page 15 sur 16

| Ν | Vb Std | Extra | Remarks |
|---|--------|-------|---------|
| Cabin heater running from engine | | | |
| Fresh water shower 1 | 1 🗸 | | |
| Swin ladder 1 | 1 | | |
| Cockpit table base (without table) 1 | 1 | | |
| Forward sunbed space 1 | 1 🗸 | | |
| Deck wash pump 1 | 1 | | |
| Teak covered side steps 2 | 2 | | |
| Rear plateform with swim ladder T 745 | | | |
| Wood effect taffrails 3 | 3 🗸 | | |
| Cockpit helm position (hydaulic steering required) 1 | 1 | | |
| Shore power with 12V charger 1 | 1 | | |
| Cockpit saloon: cockpit side folding bench with cushions, rear cushions, table with base and pole | | | |
| Cockpit side folding bench cushions T 745 | | | |
| Cockpit wooden table, with pole and base 1 | 1 | | |
| Light weight square cockpit table with pole and base | | | |
| GRP Cockpit table with drinks holders, pole and base (oval) 1 | 1 | | |
| Sliding sun roof 1 | 1 | | |
| Panoramic glass roof 1 | 1 | | |
| Engine hatch gas strut 2 | 2 🗸 | | |
| Cockpit floor loker gas strut | 1 | | |
| Pilote station | | | |
| 10 inches space on helm for electronics | 1 🗸 | | |
| Side mount control 1 | 1 🗸 | | |
| Adjustable pilot seat 1 | 1 🗸 | | |
| Wooden steering wheel upgrade 1 | 1 🗸 | | |
| Storage for oddments 1 | 1 🗸 | | |
| Saloon | | | |
| Saloon convert to double berth 1 | 1 | | |
| Saloon cushions 1 | 1 | | |
| Wheelhouse roof hatch 1 | 1 | | |
| Saloon overhead lighting 1 | 1 | | |
| Saloon lockers 1 | 1 | | |
| Curtains T 745 | | | |
| Galley | | | |
| Pressurized water 1 | 1 | | |
| Sink 1 | 1 | | |
| Ice box 1 | 1 | | |
| Twin hob stove 1 | | | |

As a company committed to continious product improvment, specifications are subject to change





42 liter fridge upgrade 1 Heads Heads porthole 1 1 Hand basin Mirror 1 Overhead lighting 1 Chemical toilet 1 Marine toilet with separated 38L holding tank 700/725/800/745 Marine toilet with 25L holding tank 705/745 1 Marine toilet without holding tank (no longer allowed in Europe) 1 Cabin Locker 2 Cabin shell 1 Cabin porthole 1 Double bed 1 Forward deck hatch 1 Cabin overhead lighting 1 Separation cabin door 1 Cabin berth cushions 1 **Other equipment** Cockpit rear engine control Nanni 1 1 Pack Trolling valve Nanni 1 Pack Trolling valve Yanmar 2

OCQUETEAU

BP 37 ORS - 17480 LE CHATEAU D'OLERON Tél.: +33 (0)5.46.47.54.11 Fax: +33 (0)5.46.47.40.27 contact@ocqueteau.fr

vendredi 30 août 2019

Page 16 sur 16

As a company committed to continious product improvment, specifications are subject to change

Stainless steel fishing rod holder

Nb Std Extra Remarks

Upgrade glacière de série en Frigo